# This Page Is Inserted by IFW Operations and is not a part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.





### UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 07/29/2004

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/757,833	01/10/2001	John R. Doner	GEH-01-081	8230
75	590 07/29/2004		EXAMINER	
John S. Beulick Shaawat, Mussa			r, MUSSA	
Armstrong Teas	sdale LLP		1077017	DA DED MUADED
Suite 2600			ART UNIT	PAPER NUMBER
One Metropolitan Sq. 2128				
St. Louis, MO	63102		DATE MAN ED 07/20/200	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
		09/757,833	DONER, JOHN R.	0		
Office Action	on Summary	Examiner	Art Unit			
		Mussa A Shaawat	2128			
	TE of this communication app	pears on the cover sheet with the o	correspondence address			
THE MAILING DATE O  - Extensions of time may be averafter SIX (6) MONTHS from the lifthe period for reply specified.  - If NO period for reply is specified.  - Failure to reply within the set of the	F THIS COMMUNICATION. ailable under the provisions of 37 CFR 1.1 e mailing date of this communication. above is less than thirty (30) days, a reply ed above, the maximum statutory period of the extended period for reply will, by statute the later than three months after the mailing	Y IS SET TO EXPIRE 3 MONTH( 36(a). In no event, however, may a reply be tir y within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from c, cause the application to become ABANDONE g date of this communication, even if timely filed	mely filed ys will be considered timely. In the mailing date of this communic ED (35 U.S.C. § 133).	ation.		
Status			•			
1) Responsive to co	mmunication(s) filed on 10 Ja	anuary 2001.				
·—	☐ This action is <b>FINAL</b> . 2b) ☐ This action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
closed in accorda	ance with the practice under E	:x рапе Quayle, 1935 С.D. 11, 4	53 O.G. 213.			
Disposition of Claims						
4a) Of the above 5) ☐ Claim(s) is 6) ☑ Claim(s) <u>1-33</u> is/a 7) ☐ Claim(s) is	are rejected.	wn from consideration.				
Application Papers		,				
9) The specification 10) The drawing(s) file Applicant may not Replacement draw	request that any objection to the ing sheet(s) including the correc	er. : a) ☐ accepted or b) ☒ objected drawing(s) be held in abeyance. Se tion is required if the drawing(s) is ob kaminer. Note the attached Office	ee 37 CFR 1.85(a). Djected to. See 37 CFR 1.1			
Priority under 35 U.S.C. §	119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some * c) None of:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)  1) Notice of References Cited 2) Notice of Draftsperson's Pa 3) Information Disclosure Sta Paper No(s)/Mail Date 10.	atent Drawing Review (PTO-948) tement(s) (PTO-1449 or PTO/SB/08) lanuary 2001.	6) Other:		040740		

Art Unit: 2128

#### **DETAILED ACTION**

1. This action is responsive to the application filed on January 11, 2000. Claims 1-33 are presented for examination. Claims 1-15 represent a method for managing locomotives in a railyard. Claims 16-33 represent a network system for managing locomotives in a railyard.

#### **Drawings**

The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference character(s) mentioned in the description: server 228. Corrected drawing sheets are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

#### Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1-33 are rejected under 35 U.S.C. 102(b) as being anticipated by Matheson patent No. (5,623,413) referred to hereinafter as Matheson.

Art Unit: 2128

As per claim 1, Matheson teaches a method for managing locomotives in a railyard including a parking yard and a service yard, based on possible future states of the parking yard and the service yard, using a system including a computer, the method comprising the steps of: enumerating possible present locomotive placement options; enumerating possible future railyard states arising from each possible present locomotive placement option; examining each possible future railyard state; and choosing a present option based on the examination of the possible future railyard states, see Matheson (col.11, lines 40-67, col.12, col.13, col.14, and col.15).

As per claim 2, Matheson teaches a method in accordance with claim 1 wherein the step of enumerating possible present locomotive placement options comprises the steps of: evaluating a geometry of the parking yard; and evaluating a geometry of the service yard, see Matheson (col.33, lines 1-65).

As per claim 3, Matheson teaches a method in accordance with claim 1 wherein the step of enumerating possible present locomotive placement options further comprises the step of establishing an initial state of the railyard, see Matheson (col.11, lines 57-67 and col.12, lines 1-5).

As per claim 4, Matheson teaches a method in accordance with claim 3 wherein the step of establishing an initial railyard state comprises the steps of: evaluating a present locomotive configuration of the parking yard; and evaluating a present locomotive configuration of the service yard, see Matheson (col.12, and col.22).

As per claim 5, Matheson teaches a method in accordance with claim 3 wherein the step of enumerating possible future railyard states comprises the steps of: evaluating the initial railyard state; and evaluating a yard schedule, see (col.11, 40-65, and col.14, lines 40-67).

As per claim 6, Matheson teaches a method in accordance with claim 5 wherein the step of evaluating a yard schedule comprises the steps of: evaluating an inbound locomotive schedule; and evaluating an outbound locomotive schedule, see Matheson (col.11, 1-67).

Art Unit: 2128

As per claim 7, Matheson teaches a method in accordance with claim 6 wherein the step of evaluating a yard schedule further comprises the steps of: evaluating service requirements of inbound locomotives; evaluating a list of locomotive service types provided in the service yard; and evaluating non-standard movements of locomotives within the railyard, see Matheson (col.14, lines 40-67).

As per claim 8, Matheson teaches a method in accordance with claim 1 wherein the step of examining each possible future railyard state comprises the steps of: examining a cost of each possible future state; and examining a time based efficiency of each possible state, see Matheson (col.9, lines 43-55).

As per claim 9, Matheson teaches a method in accordance with claim 8 wherein the step of examining a cost of each possible future state comprises the steps of: examining costs incurred from delays to the outbound locomotive schedule caused by the service requirements; examining costs incurred in performing non-standard movements; examining costs incurred by schedule delays caused by non-standard movements; and examining costs incurred by late departure of a locomotive, see Matheson (col.10, 65-67 and col.10, lines 50-55).

As per claim 10, Matheson teaches a method in accordance with claim 8 wherein the step of examining a time based efficiency of each possible state comprises the steps of: examining delays to an outbound locomotive schedule caused by the service requirements; and examining delays caused by non-standard movements, see Matheson (col.10, lines 17-23).

As per claim 11, Matheson teaches a method in accordance with claim 1 wherein the step of choosing a present option comprises the step of executing a locomotive management algorithm utilizing the computer, see Matheson (col.29, lines 20-25).

As per claim 12, Matheson teaches a method in accordance with claim 11 wherein the step of executing a locomotive management algorithm comprises the steps of: applying a set of yard

Art Unit: 2128

management objectives; applying a set of parking yard management rules; and applying a set of service yard management rules, see Matheson (col.10, lines 42-50).

As per claim 13, Matheson teaches a method in accordance with claim 12 wherein the step of applying a set of yard management objectives comprises the steps of: assembling an outbound locomotive consist as scheduled; delivering an outbound locomotive consist as scheduled; reducing a total labor usage figure for labor involved in assembling and delivering an outbound locomotive consist; reducing delays in locomotive servicing; and comparing the cost of late locomotive consist departure to additional labor costs needed to assemble and deliver an outbound locomotive consist as scheduled, see Matheson (col.22, lines 25-67).

As per claim 14, Matheson teaches a method in accordance with claim 12 wherein the step of applying a set of parking yard management rules comprises the steps of: executing locomotive pull-forwards when there is a reduced number of locomotives on an affected parking track; maintaining an order of locomotives on each parking track such that locomotives for later outbound locomotive consists are parked behind locomotives for earlier outbound locomotive consists; and parking a lead locomotive for an outbound locomotive consist on a parking track such that the lead locomotive is in front of other locomotives parked on the same track that are allocated for the same outbound locomotive consist, see Matheson (col.13, lines 35-65).

As per claim 15, Matheson teaches a method in accordance with claim 12 wherein the step of applying a set of service yard management rules comprises the steps of: positioning a locomotive in a queue for service on a lead-in track to a service bay that provides the appropriate service; positioning locomotives in a queue on a lead-in track in an order that allows servicing of each locomotive to be completed before each locomotive is scheduled for assembly in an outbound locomotive consist; and scheduling short service activities before long service activities when scheduling conflicts are not at issue, see Matheson (col.12, lines 63-67, and col.13, lines 1-35).

Art Unit: 2128

As per claim 16, Matheson teaches a networked system for managing locomotives in a railyard including a parking yard and a service yard, based on possible future states of the parking yard and the service yard, the system comprising: a client system comprising a browser; a database for storing information; a server system coupled to the client system and the database, the server system configured to: enumerate possible present locomotive placement options; enumerate possible future railyard states arising from each possible present locomotive placement option; examine each possible future railyard state; and determine a present option based on the examination of the possible future railyard states, see Matheson (col.11, lines 40-67, col.12, col.13, col.14, col.15, col., lines 15-67, and col.25, 1-67).

As per claim 17, Matheson teaches a networked system in accordance with claim 16 wherein to enumerate possible present locomotive placement options the server system further configured to: evaluate a geometry of the parking yard; and evaluate a geometry of the service yard, see Matheson (col.33, lines 1-65).

As per claim 18, Matheson teaches a networked system in accordance with claim 16 wherein to enumerate possible present locomotive placement options the server system further configured to establish an initial state of the railyard, see Matheson (col.11, lines 57-67 and col.12, lines 1-5).

As per claim 19, Matheson teaches a networked system in accordance with claim 18 wherein to establish an initial railyard state the server system further configured to: evaluate a present locomotive configuration of the parking yard; and evaluate a present locomotive configuration of the service yard, see Matheson (col.12, and col.22).

As per claim 20, Matheson teaches a networked system in accordance with claim 18 wherein to enumerate possible future railyard states the server system further configured to: evaluate the initial railyard state; and evaluate a yard schedule, see (col.11, 40-65, and col.14, lines 40-67).

Art Unit: 2128

As per claim 21, Matheson teaches a networked system in accordance with claim 20 wherein to evaluate a yard schedule the server system further configured to: evaluate an inbound locomotive schedule; and evaluate an outbound locomotive schedule, see Matheson (col.11, 1-67).

As per claim 22, Matheson teaches a networked system in accordance with claim 21 wherein to evaluate a yard schedule the server system further configured to: evaluate service requirements of inbound locomotives; evaluate a list of locomotive service types provided in the service yard; and evaluate non-standard movements of locomotive within the railyard, see Matheson (col.14, lines 40-67).

As per claim 23, Matheson teaches a networked system in accordance with claim 16 wherein to examine each possible future railyard state the server system further configured to: examine a cost of each possible future state; and examine a time based efficiency of each possible state, see Matheson (col.9, lines 43-55).

As per claim 24, Matheson teaches a networked system in accordance with claim 23 wherein to examine a cost of each possible future state the server system further configured to: examine a cost of delays to the outbound locomotive schedule caused by the service requirements; and examine a cost of non-standard movements, see Matheson (col.10, 65-67 and col.10, lines 50-55).

As per claim 25, Matheson Teaches a networked system in accordance with claim 23 wherein to examine a time-based efficiency of each possible state the server system further configured to: examine costs incurred from delays to the outbound locomotive schedule caused by the service requirements; examine costs incurred in performing non-standard movements; examine costs incurred by schedule delays caused by non-standard movements; and examine costs incurred by late departure of a locomotive, see Matheson (col.10, lines 17-23).

As per claim 26, Matheson teaches a networked system in accordance with claim 16 further configured to execute a locomotive management algorithm by: applying a set of yard management

Art Unit: 2128

objectives; applying a set of parking yard management rules; and applying a set of service yard management rules, see Matheson (col.29, lines 20-25).

As per claim 27, Matheson teaches a networked system in accordance with claim 26 wherein to apply a set of yard management objectives the server system further configured to: assemble an outbound locomotive consist as scheduled; deliver an outbound locomotive consist as scheduled; reduce a total labor usage figure for labor involved in assembling and delivering a locomotive consist; reduce delays in locomotive servicing; and compare the cost of late locomotive consist departure to additional labor costs needed to assemble and deliver an outbound locomotive consist as scheduled, see Matheson (col.10, lines 42-50).

As per claim 28, Matheson teaches a networked system in accordance with claim 26 wherein to apply a set of parking yard management rules the server system further configured to: execute locomotives pull-forwards when there is a reduced number of locomotives on an affected parking track; maintain an order of locomotives on each parking track such that locomotives for later outbound locomotive consists are parked behind locomotives for earlier outbound locomotive consists; and park a lead locomotive for an outbound locomotive consist on a parking track such that the lead locomotive is in front of other locomotives parked on the same track that are allocated for the same outbound locomotive consist, see Matheson (col.22, lines 25-67).

As per claim 29, Matheson teaches a networked system in accordance with claim 26 wherein to apply a set of service yard management rules the server system further configured to: position a locomotive in a queue for service on a lead-in track to a service bay that provides the appropriate service; position locomotives in a queue on a lead-in track in an order that allows servicing of each locomotive to be completed before each locomotive is scheduled for assembly in an outbound locomotive consist; and schedule short service activities before long service activities when scheduling conflicts are not at issue, see Matheson (col.13, lines 35-65, col.12, lines 63-67, and col.13, lines 1-35).

As per claim 30, Matheson teaches a networked system according to claim 16 wherein the client system and the server system are connected via a networked and wherein the network is one of a wide area network, a local area network, and an Intranet and the Internet, see Matheson (col.24, lines 15-67)

As per claim 31, Matheson teaches a networked system according to claim 16 wherein the server system is further configured with a displaying component for displaying various user interfaces to the user, a receiving component for receiving an inquiry to provide information from one of a plurality of users, a collection component for collecting information from users into the centralized database, a tracking component for tracking information on an on-going basis, and an accessing component for accessing the centralized database and causing the retrieved information to be displayed on the client system, see Matheson (col.24, lines 50-67, and col.25, 1-67).

As per claim 32, Matheson teaches a networked system according to claim 31 wherein the server system further configured with a processing component for searching and processing received inquiries against the data storage device containing a variety of information collected by the collection component, see Matheson (col.25, lines 50-67, and col.26, lines 1-10).

As per claim 33, Matheson teaches a networked system according to claim 31 wherein the server system further configured with a retrieving component to retrieve information from the data storage device, see Matheson (col.26, lines 1-30).

#### Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- Yamazaki et al. U.S. Patent No. (3,861,316) freight car classification system at level classification yard.
- Barich et al. U.S. Patent No. (6,446,912) Railcar maintenance management method.

Art Unit: 2128

• Kubala et al. U.S. Patent No. (4,610,206) Micro controlled classification yard.

 Minakami U.S. Patent No. (6,311,102) Physical distribution/transportation system and integrated physical distribution system.

#### Communication

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mussa A Shaawat whose telephone number is (703) 605-1372. The examiner can normally be reached on Monday-Friday (8:30am to 5:00pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin J Teska can be reached on (703) 305-9704. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Mussa Shaawat Patent Examiner July 19, 2004

WEIN TEST THE SPANNIER PARTY TO SPANNIER